



SECTION THRU CAP



NOTE: NO SEPARATE PAYMENT WILL BE MADE FOR FURNISHING AND INSTALLING THE PVC PLASTIC PIPE DRAINS, HARDWARE CLOTH AND FASTENERS.

THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR THE SEVERAL PAY ITEMS.

## PIPE DRAIN DETAILS



B1	8	#29	1	16160	654
B2	2	#19	STR	15240	68
В3	8	#13	STR	8000	64
B4	13	#13	STR	740	10
		:			
D1	28	#19	STR	460	29
H1	5	#16	5	1480	11
H2	5	#16	5	1520	12
Н3	5	#16	6	1600	12
H4	5	#16	6	1560	12
K1	8	#13	STR	900	7
S1	50	#13	3	2240	111
S2	50	#13	2	960	48
S3	14	#13	4	1980	28
S4	4	#13	7	1360	5
V1	36	#13	STR	1220	44
REINFORCING STEEL = 1115 KG					
CLASS `A' CONCRETE BREAKDOWN					

-BILL OF MATERIAL

BAR NO. SIZE TYPE LENGTH WEIGHT

POUR #1 CAP & BOTTOM OF WINGS = 10.3 CU. M

= 0.7 CU. M.


POUR #2 TOP PART OF WINGS

POUR #3 LATERAL GUIDES = 0.1 CU. M.

CLASS 'A' CONCRETE TOTAL = 11.1 CU. M.

HP 310 × 79 STEEL PILES

NO. 7 LIN. M. = 95.0m




BAGGED STONE AND PIPE SHALL BE PLACED IMMEDIATELY AFTER COMPLETION OF END BENT EXCAVATION. PIPE MAY BE EITHER CONCRETE, CORRUGATED STEEL, CORRUGATED ALUMINUM ALLOY, OR CORRUGATED PLASTIC. PERFORATED PIPE WILL NOT BE ALLOWED.

BAGGED STONE SHALL REMAIN IN PLACE UNTIL THE ENGINEER DIRECTS THAT IT BE REMOVED. THE CONTRACTOR SHALL REMOVE AND DISPOSE OF SILT ACCUMULATIONS AT BAGGED STONE WHEN SO DIRECTED BY THE ENGINEER. BAGS SHALL BE REMOVED AND REPLACED WHENEVER THE ENGINEER DETERMINES THAT THEY HAVE DETERIORATED AND LOST THEIR EFFECTIVENESS.

NO SEPARATE PAYMENT WILL BE MADE FOR THIS WORK AND THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE FOR THE SEVERAL PAY ITEMS.

TEMPORARY DRAINAGE AT END BENT



PROJECT NO. R-2514A

ONSLOW

COUNTY

STATION: 182+87.40 -L- MED.

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

SUBSTRUCTURE END BENT #1 (LEFT LANE)

REVISIONS

BY: DATE: NO. BY: DATE: S-11

TOTAL SHEETS
46

DRAWN BY: J.B. WILSON DATE: 10/03
CHECKED BY: G.M. Patterson DATE: 11/03